

SINAR TECHNOLOGY



Sinar AgriPro 6095 Moisture Analyser

- Extremely easy to use
- Rugged, portable design
- Sample preparation necessary
- Clear digital readout
- Averaging facility
- Calibrated for 19 crops
- Automatic temperature compensation
- Complete with carry case

Product Description

The Sinar AgriPro is the ideal tool for checking the moisture of your cereals, pulses or oilseeds wherever you need to measure them. The AgriPro has been designed with portability in mind; its durable, compact construction means that it can always be by your side whenever you need it.

The Sinar AgriPro is extremely easy to use - simply pour the grain into the measurement cell, screw down the compression cap and read off the moisture content from the backlit digital display. The AgriPro measures the capacitance of the sample and automatically compensates for temperature. This simplicity does away with the need to mount your machine on a bench or weigh out precise quantities of samples, with the AgriPro accurate measurements can be taken in the middle of a field.

The AgriPro is an excellent tool as either the primary moisture meter for a budget conscious small farmer, or a mobile unit in conjunction with a larger bench mounted machine. Its versatility means that satisfaction is guaranteed.

Product Features

Accuracy:	Better than +/-0.5% mc dependant upon application
Measurement range:	5% - 45% dependant upon application
Operating Environment:	0 - 45 °C
Dimensions:	21 x 7.5 x 7.5cm
Weight:	1.5Kg (including carry case)
Power Supply:	9v Alkaline
Principle of Operation:	Capacitance
Temperature Compensation:	Automatic
Readout resolution:	0.1% mc

Supplier Address

Sinar Technology
Unit 5, Camberley Business
Centre
Bracebridge
Camberley
Surrey
GU15 3DP
UK

Tel UK 0844 745 1999
Tel Int +44 208 328 0727
Fax +44 (0) 1276 29901
office@sinar.co.uk

Office & Service Centre

Unit 8, Camberley Business Centre, Bracebridge, Camberley, Surrey, Postcode GU15 3DP, United Kingdom
Tel UK: 0844 745 1999 • Tel International: +44 208 328 0727 • Fax: +44 (0) 1276 29941